

Abortion Vulnerable Criteria

Ramahinternational.org

Low Risk

Moderate Risk

High Risk

1

2

3

4

5

6

7

8

9

10



- Married
- FOB/Family knows about pregnancy.
- Family accepting and Supportive
- Has insurance or current medical card.



<u>SINGLE</u>	<u>Add</u>
No insurance	1
Pursuing school/career	1
Little/No family support	1
Sole Provider in home	2
Casual illegal drug use	2
Heavy alcohol use	2
Casual alcohol use	1
Past Abortion	3
Under age 25	1
Age 35 or over	1
Child under 18 months	1
Has Teenage children	1
Speaks Spanish Only	1

- # of Possible Fathers of Baby
- Outside Influence to abort
- Pressure to abort from FOB/others
- \$\$ Problems
- No Income - No Job
- Current/ Past Domestic Violence
- Asian
- African American
- Current/ Past Drug Use/Addictions
- Medical Conditions
- Previous Pregnancy Complications
- Sexual assault/Rape
- Parental past abortion experience
- Multiple Past Abortions

First Stages in the Life Cycle of an Abortion Decision

Ramahinternational.org

Sexual Activity

Fear of Pregnancy Crisis Mode – Advice from Friends/Family, father's input, pro & con decision making, fear, panic, waiting . . .

Post-Abortive Client

Non-Post-Abortive Client

During Pregnancy Test – Ask questions to determine: point of sexual vulnerability, abortion influencers, level of self-esteem (SE), maturity, viewpoint on abortion option, spiritual background, etc.

PAS Pregnant

PAS Not-Pregnant

Pregnant

Not-Pregnant

Assess SE/abortion vulnerability

Ask about previous abortion
 Personalize aborted child
 Parental Involvement – PAS in parents
 Is this an atonement child?
 Same father? Break up potential outline
 Outline Abortion PTSD symptoms
 Personal Post-abortion Testimony

Goal: Establish relationship (E-Mail, text, phone call, etc.), ultrasound, Abortion recovery group invite

Present:

Abstinence Info – STDs, etc.
 Abortion PTSD symptoms
 Discuss program & offer
 Post-abortion testimony

Goal: Get into abortion recovery eventually, discourage future abortions, establish relationship (e-mail text, phone calls, etc.) for STD services, future abortion recovery group invite or via parenting program.

Assess SE/abortion vulnerability

Parental Involvement – Post-abortionive parents?
 Break up potential with father
 Outline Abortion PTSD symptoms, abortion risks and procedures - ultrasound
 Hear personal post-abortion testimony

Goal: Establish relationship (E-Mail, text, phone call, etc.)

Present:

Abstinence Info – STDs, etc.
 Abortion PTSD symptoms
 Offer post-abortion testimony

Goal: Discourage abortion minded thinking in the future, discourage future sexual activity and establish relationship (e-mail or text contact, phone calls, etc.)

Ask they leave – See brochure listing but encourage website searches with positive sites and future e-mail/text contact.